



L Number	Hits	Search Text	DB	Time stamp
1	0	optical\$1 near5 barcode\$1 near5 tag\$1 with	USPAT;	2003/05/15 16:39
		non\$1 near5 optical\$1 near5 multi\$1 near5	US-PGPUB;	
1		element\$1	EPO; JPO;	
1			DERWENT;	
	_	autical() was beyond () many tag() and	IBM_TDB USPAT;	2003/05/15 16:40
2	0	optical\$1 near5 barcode\$1 near5 tag\$1 and non\$1 near5 optical\$1 near5 multi\$1 near5	USPAT; US-PGPUB;	2003/03/15 16:40
		element\$1	EPO; JPO;	8
İ		elewench1	DERWENT;	
			IBM TDB	
3	0	non\$1 near5 optical\$1 near5 multi\$1 near5	USPAT;	2003/05/15 16:42
		element\$1 near5 tag\$1 with article\$1 near5	US-PGPUB;	
		identification\$1	EPO; JPO;	
			DERWENT;	
,			IBM_TDB	2002/05/15 16:42
4	0	non\$1 near5 optical\$1 near5 multi\$1 near5 element\$1 near5 tag\$1 and article\$1 near5	USPAT; US-PGPUB;	2003/05/15 16:42
		identification\$1	EPO; JPO;	
		Identification()	DERWENT;	
			IBM TDB	
5	0	non\$1 near5 optical\$1 near5 tag\$1 with	USPAT;	2003/05/15 16:43
		article\$1 near5 identification\$1	US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
6	,		IBM_TDB	2002/05/15 15 11
6	1	non\$1 near5 optical\$1 near5 tag\$1 and article\$1 near5 identification\$1	USPAT; US-PGPUB;	2003/05/15 16:44
		artitlest hears identifications:	EPO; JPO;	
		, in the second	DERWENT;	
			IBM TDB	
7	2	(non\$1 near5 optical\$1 or long\$1 near5	USPAT;	2003/05/15 19:12
		distance\$1) near5 tag\$1 and article\$1	US-PGPUB;	
		near5 identification\$1	EPO; JPO;	
İ			DERWENT;	
8	54		IBM_TDB	2002/05/15 10:16
0	54	angular\$1 near5 tag\$1	USPAT; US-PGPUB;	2003/05/15 19:16
			EPO; JPO;	,
			DERWENT;	())
			IBM TDB	
9	320	340/572.3	USPAT;	2003/05/15 19:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10	3	diameter\$1 and length\$1 and angle\$1 with	IBM_TDB	2003/05/15 19:24
1		tag\$1 near5 identification\$1	USPAT; US-PGPUB;	2003/03/13 13.24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	13848	diameter\$1 and length\$1 with magnetic\$1	USPĀT;	2003/05/15 19:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
12	216	(diameter\$1 and length\$1 with magnetic\$1)	USPAT;	2003/05/15 19:24
		and tag\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	129	((diameter\$1 and length\$1 with magnetic\$1)	USPAT;	2003/05/15 19:30
		and tag\$1) and (code\$1 or encode\$1 or modulat\$3)	US-PGPUB;	
		INCOUTACASI	EPO; JPO; DERWENT;	
			IBM TDB	
14	261	340/572.6	USPAT;	2003/05/15 19:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

15	0	340/572.6114 and diameter\$1	USPAT; US-PGPUB;	2003/05/15 19:32
			EPO; JPO; DERWENT;	
16	0.	 340/572.6114 and length\$1	IBM_TDB USPAT;	2003/05/15 19:32
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
17	93	340/572.6 and diameter\$1	USPĀT;	2003/05/15 19:48
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
18	82	(340/572.6 and diameter\$1) and length\$1	USPĀT; US-PGPUB;	2003/05/15 19:48
			EPO; JPO; DERWENT;	
			IBM_TDB	
19	27	((340/572.6 and diameter\$1) and length\$1) and angle\$1	USPAT; US-PGPUB;	2003/05/15 19:48
			EPO; JPO; DERWENT;	
20	429	340/572.2	IBM_TDB USPAT:	2003/05/15 19:46
	123	340/372.2	US-PGPUB;	2003/03/13 13.40
			EPO; JPO; DERWENT;	
21	70	340/572.2 and diameter\$1	IBM_TDB USPAT;	2003/05/15 19:48
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
22	51	(340/572.2 and diameter\$1) and length\$1	USPAT; US-PGPUB;	2003/05/15 19:48
			EPO; JPO;	
			DERWENT; IBM_TDB	
23	17	((340/572.2 and diameter\$1) and length\$1) and angle\$1	USPAT; US-PGPUB;	2003/05/15 19:52
			EPO; JPO; DERWENT;	
24	4592	magnetic\$1 near5 (sensor\$1 or element\$1)	IBM_TDB USPAT;	2003/05/15 19:53
	1032	with angle\$1	US-PGPUB; EPO; JPO;	2003/03/13 13:33
			DERWENT;	
25	885	(magnetic\$1 near5 (sensor\$1 or element\$1)	IBM_TDB USPAT;	2003/05/15 19:53
		with angle\$1) and diameter\$1	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
26	583	((magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1) and diameter\$1) and length\$1	USPAT; US-PGPUB;	2003/05/15 19:53
		and any and any and any and any any and any any	EPO; JPO; DERWENT;	
27	4.5	///	IBM_TDB	0000/05/15
27	15	(((magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1) and diameter\$1)	USPAT; US-PGPUB;	2003/05/15 19:55
		and length\$1) and tag\$1	EPO; JPO; DERWENT;	
28	16	((magnetic\$1 near5 (sensor\$1 or element\$1)	IBM_TDB USPAT;	2003/05/15 19:58
		with angle\$1) and diameter\$1) and tag\$1	US-PGPUB; EPO; JPO;	
			DERWENT;	
29	1	("6144300").PN.	IBM_TDB USPAT	2003/05/15 20:03
30	1	(("6144300").PN.) and amorphous\$2	USPAT	2003/05/15 20:04

L Number	Hits	Search Text	DB	Time stamp
1	0	optical\$1 near5 barcode\$1 near5 tag\$1 with	USPAT;	2003/05/15 16:39
		non\$1 near5 optical\$1 near5 multi\$1 near5 element\$1	US-PGPUB; EPO; JPO;	
2	0	optical\$1 near5 barcode\$1 near5 tag\$1 and non\$1 near5 optical\$1 near5 multi\$1 near5 element\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/15 16:40
3	0	non\$1 near5 optical\$1 near5 multi\$1 near5 element\$1 near5 tag\$1 with article\$1 near5 identification\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 16:42
4	0	non\$1 near5 optical\$1 near5 multi\$1 near5 element\$1 near5 tag\$1 and article\$1 near5 identification\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 16:42
5	0	non\$1 near5 optical\$1 near5 tag\$1 with article\$1 near5 identification\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 16:43
6	1	non\$1 near5 optical\$1 near5 tag\$1 and article\$1 near5 identification\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 16:44
7	2	(non\$1 near5 optical\$1 or long\$1 near5 distance\$1) near5 tag\$1 and article\$1 near5 identification\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 19:12
8	54	angular\$1 near5 tag\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/15 19:16
9	320	340/572.3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 19:21
10	3	diameter\$1 and length\$1 and angle\$1 with tag\$1 near5 identification\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/15 19:24
11	13848	diameter\$1 and length\$1 with magnetic\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/15 19:24
12	216	(diameter\$1 and length\$1 with magnetic\$1) and tag\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/15 19:24
13	129	((diameter\$1 and length\$1 with magnetic\$1) and tag\$1) and (code\$1 or encode\$1 or modulat\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/15 19:30
14	261	340/572.6	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/15 19:31
			DERWENT; IBM_TDB	

15	0	340/572.6114 and diameter\$1	USPAT; US-PGPUB;	2003/05/15 19:32
			EPO; JPO; DERWENT;	
16	0	340/572.6114 and length\$1	IBM_TDB USPAT;	2003/05/15 19:32
			US-PGPUB;	
			EPO; JPO; DERWENT;	
1.7	93	240 (570 6) 11	IBM_TDB	0000/05/15 10 40
17	93	340/572.6 and diameter\$1	USPAT; US-PGPUB;	2003/05/15 19:48
			EPO; JPO; DERWENT;	
		,	IBM_TDB	
18	82	(340/572.6 and diameter\$1) and length\$1	USPAT; US-PGPUB;	2003/05/15 19:48
			EPO; JPO;	
			DERWENT; IBM TDB	
19	27	((340/572.6 and diameter\$1) and length\$1)	USPĀT;	2003/05/15 19:48
		and angle\$1	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
20	429	340/572.2	USPAT;	2003/05/15 19:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
21	70	340/572.2 and diameter\$1	IBM_TDB USPAT;	2003/05/15 19:48
			US-PGPUB; EPO; JPO;	
			DERWENT;	
22	51	(340/572.2 and diameter\$1) and length\$1	IBM_TDB USPAT;	2003/05/15 19:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
23	17	((340/572.2 and diameter\$1) and length\$1)	IBM_TDB USPAT;	2003/05/15 19:52
		and angle\$1	US-PGPUB;	2003,03,13 13.32
			EPO; JPO; DERWENT;	
24	1502	magneticel poars (concered or elementel)	IBM TDB	2002/05/15 10.52
24	4372	magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1	USPĀT; US-PGPUB;	2003/05/15 19:53
			EPO; JPO; DERWENT;	
25	205	/mamatic(1 page / 22222)	IBM_TDB	2002/05/15 12 55
25	885	(magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1) and diameter\$1	USPAT; US-PGPUB;	2003/05/15 19:53
			EPO; JPO; DERWENT;	
			IBM_TDB	
26	583	<pre>((magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1) and diameter\$1) and length\$1</pre>	USPAT; US-PGPUB;	2003/05/15 19:53
			EPO; JPO;	
			DERWENT; IBM_TDB	
27	15	<pre>(((magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1) and diameter\$1)</pre>	USPĀT; US-PGPUB;	2003/05/15 19:55
		and length\$1) and tag\$1	EPO; JPO;	
			DERWENT; IBM TDB	
28	16	((magnetic\$1 near5 (sensor\$1 or element\$1) with angle\$1) and diameter\$1) and tag\$1	USPĀT;	2003/05/15 19:58
		with angless, and diameters) and tags	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
		L	בוחד דוחם	L

L Number	Hits		DB	Time stamp
1	0	optical\$1 near5 barcode\$1 near5 tag\$1 with	USPAT;	2003/05/15 16:39
		non\$1 near5 optical\$1 near5 multi\$1 near5	US-PGPUB;	
		element\$1	EPO; JPO;	
			DERWENT;	
i			IBM_TDB	
2	0	of grant management management mg management mg management mg mg mg mg mg mg mg m	USPAT;	2003/05/15 16:40
		non\$1 near5 optical\$1 near5 multi\$1 near5	US-PGPUB;	
		element\$1	EPO; JPO;	
			DERWENT;	
·			IBM_TDB	
3	0		USPAT;	2003/05/15 16:42
		element\$1 near5 tag\$1 with article\$1 near5	US-PGPUB;	
		identification\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	0	1	USPAT;	2003/05/15 16:42
		element\$1 near5 tag\$1 and article\$1 near5	US-PGPUB;	
		identification\$1	EPO; JPO;	
			DERWENT;	
_	0		IBM_TDB	0000/05/15 16 40
5	0		USPAT;	2003/05/15 16:43
		article\$1 near5 identification\$1	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
6	1	non\$1 near5 optical\$1 near5 tag\$1 and	USPAT;	2003/05/15 16:44
0	1	article\$1 near5 identification\$1	US-PGPUB;	2003/03/13 16:44
		arcicled Heard Ineligitications	EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	2	(non\$1 near5 optical\$1 or long\$1 near5	USPAT;	2003/05/15 16:45
'	۷	distance\$1) near5 tag\$1 and article\$1	US-PGPUB;	2003/03/13 10.43
		near5 identification\$1	EPO; JPO;	
		noord radictitionerony.	DERWENT;	
			IBM TDB	
	, , , , , , , , , , , , , , , , , , , ,	L	1 1011 100	L

L Number	Hits	Search Text	DB	Time stamp
1	1	(length\$1 and diameter\$1) near5 magnetic\$1	USPAT;	2003/05/15 13:36
		with (tag\$1 near5 identif\$6)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
2	3	(length\$1 and diameter\$1) near5 magnetic\$1	USPĀT;	2003/05/15 13:45
		and (tag\$1 near5 identif\$6)	US-PGPUB;	
į			EPO; JPO;	
1			DERWENT; .	ŀ
			IBM TDB	